



Auto-Tracking Camera Family Specifications



The Innovation Behind The Image

Industry leader in professional image processing technology



*The warranty policy, TAA and NDAA compliant may be different depending on the sales region. Changes in specification or design may be done without notification.

4K-1080p | 60fps | 12x-30x Optical Zoom
HDMI / USB / IP / 3G-SDI / 12G-SDI



www.MyLumens.com

Auto-Tracking Camera



VC-TR60
Dante AV-H



VC-TR60



VC-TA50

Sensor	1/2.8" 8.6M	1/2.8" 8.6M	1/2.8" 2.16MP CMOS
Resolution	2160p59.94	2160p59.94	1080p60
Video Output	3G-SDI / HDMI / Ethernet / USB	3G-SDI / HDMI / Ethernet/ USB	3G-SDI / HDMI / Ethernet
Optical Zoom	12x	12x	20x
Horizontal View	81°	81°	57°
PoE	PoE+	PoE+	PoE+
Audio In	Line In	Line In	Line In / MIC In
Video Compression	H.264 / MJPEG/ YUY2/ NV12	H.264 / MJPEG/ YUY2/ NV12	H.264 / MJPEG
Streaming Protocol	HTTP / RTSP / RTMP / RTMPS / SRT / Dante AV-H	HTTP/ RTSP / RTMP / RTMPS/ SRT	RTSP / RTMP / RTMPS / MPEG-TS / SRT
Control	RS-232/ Ethernet/ USB/ Remote	RS-232/ Ethernet/ USB/ Remote	RS-232 / RS-422/ Remote



VC-TR40N



VC-TR40



VC-TR1

Sensor	PTZ: 1/2.8" 2.16MP Panoramic: 1/2.8" 2MP	PTZ: 1/2.8" 2MP Panoramic: 1/2.8" 2MP	PTZ: 1/2.8" 2.13MP Panoramic: 1/2.5" 8.57MP
Resolution	1080p60	1080p60	1080p60
Video Output	HDMI / 3G-SDI / USB / Ethernet	3G-SDI / HDMI / Ethernet / USB	HDMI / 3G-SDI / USB / Ethernet
Optical Zoom	20x	20x	20x
Horizontal View	PTZ: 58.7° Panoramic: 111°	PTZ: 58.7° Panoramic: 111°	PTZ: 58.7° Panoramic: 100°
PoE	PoE	PoE	PoE+
Audio In	Line In/ Mic In	Line In / MIC In	Line In
Video Compression	H.264/ MJPEG	H.264 / MJPEG	HEVC(H.265)/ H.264/ MJPEG
Streaming Protocol	HTTP/ RTSP/ RTMP/ RTMPS/ SRT/ NDI HX	HTTP / RTSP / RTMP / RTMPS / SRT	RTSP/ RTMP/ RTMPS
Control	RS-232/ Ethernet/ USB/ Remote	RS-232/ Ethernet/ USB/ Remote	RS-232/ Ethernet/ USB/ Remote

Accessories

Camera Controller



	VC-TR40	VC-TR40N	VC-TR60	VC-TR60 Dante AV-H	VC-TA50	VC-TR1
VS-KB30	V	V	V	V	V	V
VS-K20	V	V	V	V	V	V
VC-IR01	V	V	V	V	V	X

Cable



	VC-TR40	VC-TR40N	VC-TR60	VC-TR60 Dante AV-H	VC-TA50	VC-TR1
CAB-AOCU-ML	V	V	V	V	X	V
CAB-AOCH-XL	V	V	V	V	V	V
VC-AC06	V	V	V	V	V	V
VC-AC07	V	V	V	V	V	V

Wall Mount



	VC-TR40	VC-TR40N	VC-TR60	VC-TR60 Dante AV-H	VC-TA50	VC-TR1
VC-AC03	V	X	X	X	X	X
VC-WM11	X	X	X	X	X	V
VC-WM12	X	X	X	X	V	X
VC-WM14	V	V	V	V	X	V
VC-WM15	V	V	V	V	V	V



Lumens Digital Optics Inc.

5F, No.20, Taiyuan St., Jhubei City 30288, Taiwan
Tel: +886-3-552-6255 Fax: +886-3-552-6256

Lumens 中国

上海市浦东新区金吉路 778 号 1 幢 6 层 607 室
电话 : +86-21-51-098-999

Lumens Integration, Inc.

4116 Clipper Court, Fremont, CA, 94538
Phone: +1-866-600-0988 Fax: +1-510-252-1389

Lumens Europe

De Nayerstraat 17 9470 Denderleeuw Belgium
Phone: +32-473-58-38-95 Fax: +32-2-452-76-00